


Express Mail" Label No. EL 985938965 US
Date of Deposit: March 11, 2004
I hereby certify that this is being deposited with the United States Postal
Service "Express Mail Post Office to Addressee" service under 37 CFR
1.10 on the date indicated above, addressed to: Assistant Commissioner for
Patents, Washington, Box Patent Application, D.C. 20231
By: 
Juliana Hermes

Attorney Docket 36-002330US
Client Ref. P0062US30

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
Patent Application For

**COMPOSITIONS AND METHODS OF VINYL
OXAZOLONE POLYMERIZATION**

Inventor(s): David Tully, a citizen of the United States of America, residing at
4278 Calle Isabelino, San Diego, CA 92130

Assignee: IRM, LLC
c/o Sophia House
48 Church Street,
Hamilton, HM LX Bermuda

Entity: Large

Filed: Friday, May 23, 2003

QUINE INTELLECTUAL PROPERTY LAW GROUP, P.C.

P.O. Box 458
Alameda, CA 94501
Internet address: www.quinelaw.com

Phone: (510) 337-7871
Fax: (510) 337-7877
E-mail: jaquine@quinelaw.com

COMPOSITIONS AND METHODS OF VINYL OXAZOLONE POLYMERIZATION

CROSS REFERENCE TO RELATED APPLICATION

[0001] This application is related to from U.S. provisional patent applications USSN 60/454,956 filed March 13, 2003, USSN 60/460,158 filed April 2, 2003, and USSN 60/472,974 filed May 23, 2003, the disclosures of which are incorporated by reference. The present application claims priority to, and benefit of, these applications, pursuant to 35 U. S. C. §119(e) and any other applicable statute or rule.

COPYRIGHT NOTIFICATION

[0002] Pursuant to 37 C.F.R. 1.71(e), Applicants note that a portion of this disclosure contains material which is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or patent disclosure, as it appears in the Patent and Trademark Office patent file or records, but otherwise reserves all copyright rights whatsoever.

FIELD OF THE INVENTION

[0003] The present invention relates to novel methods for synthesis of oxazolone-containing polymers via nitroxide-mediated living free radical polymerization, as well as the products and derivatives thereof.

BACKGROUND OF THE INVENTION

[0004] Vinyl-functionalized oxazolones (e.g., "azlactones") represent a unique class of bifunctional monomers; the most widely studied monomer in this category is 2-vinyl-4,4-dimethyl-5-oxazolone (VDMO). VDMO, also commonly referred to as vinyl azlactone or vinyl azalactone, has been used in a number of acrylamide- and acrylate-based insoluble polymer supports for enzyme immobilization and affinity chromatography (see, for example, Coleman et al. (1990) J. Chromatography 512:345-363; Drtina et al. (1996) Macromolecules 29:4486-4489; and Hellmann et al. (2001) J. Polym. Sci., Part A: Polymer Chem. 39:3677). Poly(VDMO) has also been grafted onto molded macroporous polymer monoliths (Peterson et al. (2002) J. Anal. Chem. 74:4081-4088; Xie et al. (1999) J. Biotechnol. Bioeng. 62:29-35). In addition, these materials can be used as effective amine

scavengers for organic syntheses (Tripp et al. (2000) J. Org. Lett. 2:195-198; Tripp et al. (2001) J. Combi. Chem. 3:216-223).

[0005] There have been several reports regarding the traditional free radical copolymerization of VDMO using azo-initiators. However, VDMO has a tendency to homopolymerize relative to the comonomer, resulting in depletion of VDMO at low conversions. Consequently, the resulting product polymer is a complex mixture of copolymer chains having both a heterogeneous microstructure as well as a broad molecular weight distribution. The present invention overcomes these and other difficulties in the art, by providing methods for the synthesis of oxazolone-containing polymers having defined architecture and narrow polydispersity.

SUMMARY OF THE INVENTION

[0006] The present invention provides for the novel synthesis of polymers incorporating vinyl-functionalized oxazolone (azlactone) units in the polymer chain. Homopolymers as well as random (e.g., statistical) and block copolymers of vinyl-functionalized oxazolone monomers have been produced via nitroxide-mediated living radical polymerization methods of the present invention. The polymers of the present invention can be used, for example, in the preparation of surface grafted polymer multilayers (e.g., for the covalent immobilization of proteins and peptides to chemically modified surfaces) or for the preparation of polymer-bound active agents (e.g., drug formulations, diagnostic agents, and the like).

[0007] In one aspect, the present invention provides methods of synthesizing a poly(oxazolone) homopolymer via a nitroxide-mediated controlled living free radical polymerization reaction. The methods include the steps of a) providing an oxazolone propagating species having a free radical moiety; b) reacting the oxazolone propagating species with a vinyl-functionalized oxazolone monomer, thereby producing an extended oxazolone propagating species; c) coupling a nitroxide capping compound with the extended oxazolone propagating species and forming an intermediary dormant species; d) dissociating the nitroxide capping compound from the intermediary dormant species, thereby regenerating the extended oxazolone propagating species; and e) repeating the reacting, coupling, and dissociating steps with additional vinyl-functionalized oxazolone

monomers, thereby synthesizing the poly(oxazolone) homopolymer via a nitroxide-mediated controlled living free radical polymerization reaction.

[0008] The poly(oxazolone) homopolymer is typically generated using a homogeneous pool of oxazolone monomers. However, the methods of the present invention can also be employed to generate an oxazolone polymer using a combination of oxazolone subunits. Two preferred oxazolone monomers for use (independently or in combination) in the methods of the present invention are 2-vinyl-4,4-dimethyl-5-oxazolone (VDMO) and 2-(4'-vinyl)-phenyl-4,4-dimethyl-5-oxazolone (VPDMO).

[0009] In some embodiments of the present invention, the methods generate a polymer having a polydispersity of less than or equal to 1.20 as determined, for example, by size exclusion chromatography, gel permeation chromatography, laser light scattering, or any other method used by one of skill in the art to determine the molecular weights (M_n and/or M_w) of a polymer. Optionally, the methods of the present invention can be used to generate polymers having even more narrow polydispersities, e.g., a polydispersity of less than or equal to 1.15, or less than or equal to 1.10, and/or having a weight average molecular weight greater than approximately 5000 Da, or optionally between approximately 10,000 Da and 100,000 Da.

[0010] In one embodiment, the oxazolone propagating species used in the present invention is provided by a) providing a first monomer comprising the vinyl-functionalized oxazolone compound; b) providing an alkoxyamine compound capable of dissociating into a first nitroxide portion and a second free radical portion; and c) reacting the second free radical portion of the dissociated alkoxyamine compound with the first monomer, thereby forming a oxazolone propagating species. Exemplary alkoxyamine compounds for use in the methods of the present invention include, but are not limited to, N-(1,1-dimethylethyl)- α -(1-methyl ethyl)-N-(1-phenyl ethoxy)-benzene methanamine and 2,2,6,6-tetramethyl-1-(1-phenylethoxy) piperidine. Optionally, the first nitroxide portion of the alkoxyamine compound can be employed as the nitroxide capping compound in the coupling step of the provided methods.

[0011] The coupling, dissociating and reacting steps are performed at elevated temperatures, for example, between 100° C and 130° C, and the reactions are typically allowed to run for between 1 and 24 hours. In some embodiments, the reaction mixture is

supplemented with an additional quantity of free nitroxide (e.g., a 5% molar excess of free nitroxide with respect to alkoxyamine). Optionally, the resulting polymer is further processed by suspending the poly(oxazolone) homopolymer in a first solvent (e.g., chloroform) and precipitating the homopolymer in a second solvent (e.g., hexane) to form a precipitate. The precipitate can then be filtered, optionally further washed in solvent, and dried under a vacuum.

[0012] In another embodiment, the present invention provides methods of synthesizing oxazolone-containing copolymers via a nitroxide-mediated controlled living free radical polymerization reaction. Either random copolymers or block copolymers can be prepared by the provided methods. In these embodiments, the methods for synthesizing the oxazolone-containing copolymers include the steps of a) providing a plurality of monomers comprising a first set of vinyl-functionalized oxazolone compounds and a second set of second monomers; b) providing a reactive polymer propagating species having a free radical moiety; c) reacting the reactive polymer propagating species with a member of the plurality of monomers, thereby producing an extended reactive polymer propagating species; d) coupling a nitroxide capping compound with the extended reactive polymer propagating species and forming an intermediary dormant polymer species; e) dissociating the nitroxide capping compound from the intermediary dormant polymer species, thereby regenerating the extended reactive polymer propagating species; and f) repeating the reacting, coupling, and dissociating steps with additional member monomers, thereby synthesizing the oxazolone-containing copolymer via a nitroxide-mediated controlled living free radical polymerization reaction.

[0013] As in the previously-described methods for generation of oxazolone-containing homopolymers, the methods can be used to generate a polymer having a polydispersity of less than or equal to 1.20 as determined, for example, by size exclusion chromatography, gel permeation chromatography, laser light scattering, or the like. Optionally, the methods can be used to generate polymers having more narrow polydispersities, e.g., a polydispersity of less than or equal to 1.15, or less than or equal to 1.10, and/or having a weight average molecular weight greater than approximately 5000 Da, or optionally between approximately 10,000 Da and 100,000 Da.

[0014] The copolymer can be either a random copolymer (e.g., both sets of monomers are provided at the same time) or a block copolymer (e.g., the two sets of monomer are provided during different series of repeat cycles). In addition, the copolymer can comprise varying proportions of first and second monomers. For example, the plurality of monomers optionally can include equal proportions of both monomers (i.e., 50% oxazolone monomers and 50% second monomers). Alternatively, disparate proportions of monomer sets (e.g., 10% oxazolone monomers and 90% second monomers, 90% oxazolone monomers and 10% second monomers, and the like) can be employed.

[0015] The first set of vinyl-functionalized oxazolone compounds can be provided as either a single oxazolone monomer composition or a combination of two or more oxazolone monomers. Two preferred oxazolone monomers for use (independently or in combination) in the methods of the present invention are 2-vinyl-4,4-dimethyl-5-oxazolone (VDMO) and 2-(4'-vinyl)-phenyl-4,4-dimethyl-5-oxazolone (VPDMO).

[0016] The second set of monomers can be selected from any of a number of monomeric units, including, but not limited to, styrene, substituted styrene, alkyl acrylate, substituted alkyl acrylate, alkyl methacrylate, substituted alkyl methacrylate, acrylic acid, methacrylic acid, acrylonitrile, methacrylonitrile, acrylamide, N-alkylacrylamide, N-alkylmethacrylamide, N,N-dialkylacrylamide, N,N-dialkylmethacrylamide, isoprene, butadiene, ethylene, vinyl acetate, vinylidene chloride, vinylidene fluoride, vinyl chloride, vinyl fluoride, tetrafluoroethylene, 4-vinyl pyridine, 3-vinyl pyridine, 2-vinyl pyridine, N-vinyl amides, and combinations thereof.

[0017] In the methods of the present invention, providing the reactive polymer propagating species can optionally be performed by a) providing an initiator/control agent comprising an alkoxyamine compound capable of dissociating into a first nitroxide portion and a second free radical portion; and b) reacting the second free radical portion of the dissociated alkoxyamine compound with a member of the plurality of monomers, thereby forming a reactive polymer propagating species. Either an oxazolone monomer a member of the second monomer species can be used to initiate the polymer reaction.

[0018] In a further embodiment, the present invention provides methods for synthesizing oxazolone-containing block copolymers, including the steps of a) providing a reactive polymer propagating species having a free radical moiety; b) providing a first set of

vinyl-functionalized oxazolone compounds and a second set of second monomers; c) generating an extended reactive polymer species by repeatedly i) reacting the reactive polymer propagating species with a member of the first set of vinyl-functionalized oxazolone compounds, ii) coupling the product thereof to a nitroxide capping compound to form an intermediary dormant polymer species; iii) dissociating the nitroxide capping compound from the intermediary dormant polymer species, thereby regenerating the extended reactive polymer propagating species; and iv) repeating the reacting, coupling, and dissociating steps using additional members of the first set of vinyl-functionalized oxazolone monomers; d) removing any unreacted members of the first set of vinyl-functionalized oxazolone compounds; e) providing a second set of second monomers; and f) repeating the reacting, coupling, and dissociating steps with members of the second set of second monomers, thereby synthesizing the oxazolone-containing block copolymer via a nitroxide-mediated controlled living free radical polymerization reaction. Optionally, the second set of second monomers is provided prior to the first set of oxazolone monomers.

[0019] The present invention also provides compositions as prepared by the present invention. In some embodiments, the polymers (homopolymers or copolymers) of the present invention are further functionalized by reaction with an active agent, to form an active agent-polymer conjugate. For example, the polymer can be reacted with a nucleophilic compound, such as an amine-functionalized active agent or a hydroxyl-containing (alcohol-functionalized) active agent, via standard chemical procedures.

[0020] The molar ratio of active agent to polymer can vary based upon the size of the polymer and intended use, e.g., ranging from 100:1 to 1:1 (agent:polymer). For example, for a composition employing an active agent of 500 Da and having a agent:polymer ratio of 20:1, a starting polymer of 15,000-25,000 Da will generate, through the methods of the present invention, an agent-polymer conjugate having a molecular weight ranging between 25,000 to 35,000 Da.

[0021] The active agents considered for conjugation in the present invention include, but are not limited to, various therapeutic agents, contrast agents, diagnostic agents, and/or targeting agents. In a preferred embodiment, the active agent is coupled to the polymer through a cleavable linkage moiety (for example, an enzymatically-cleavable linkage).

DEFINITIONS

[0022] Before describing the present invention in detail, it is to be understood that this invention is not limited to particular devices or biological systems, which can, of course, vary. It is also to be understood that the terminology used herein is for the purpose of describing particular embodiments only, and is not intended to be limiting. As used in this specification and the appended claims, the singular forms "a", "an" and "the" include plural referents unless the content clearly dictates otherwise. Thus, for example, reference to "a surface" includes a combination of two or more surfaces; reference to "bacteria" includes mixtures of bacteria, and the like.

[0023] Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which the invention pertains. Although any methods and materials similar or equivalent to those described herein can be used in the practice for testing of the present invention, the preferred materials and methods are described herein. In describing and claiming the present invention, the following terminology will be used in accordance with the definitions set out below.

[0024] As used herein, the term "oxazolone-containing polymer" refers to either homopolymers or copolymers having incorporated therein at least one oxazolone ("azlactone") monomer subunit.

[0025] As used herein, the abbreviation "Mw" refers to the weight average molecular weight, while the abbreviation "Mn" refers to the number average molecular weight.

[0026] The phrase "degree of polymerization" (DP) refers to the number of monomer units in a given (i.e., single) polymer chain; for mixtures of polymer chains, the DP value can be provided as either a weight average DP or a number average DP..

[0027] The term "polydispersity" as used herein refers the ratio of the number average molecular weight (Mn) to the weight average molecular weight (Mw) and represents the extent or broadness of a molecular weight distribution in a sample. For polymers in which the Mn equals Mw, the polydispersity is equal to 1 and the polymer is said to be "monodisperse."

[0028] As used herein, the term “macroinitiator” refers to a polymeric structure used as an initiator in a polymerization reaction, reflecting the larger-than-typical scale of the initiator compound used in the reaction.

[0029] The term “active agent” refers to a compound capable of interacting with a selected or desired substrate or ligand, either in the polymer-conjugated form or as a released derivative. Furthermore, the term “active agent” as used herein is meant to encompass the active form of a given molecule as well as any corresponding yet-to-be-activated forms (such as prodrugs and the like). The interactions between active agent and substrate or ligand include, but are not limited to, a binding activity, a chemical activity, a biochemical activity, and/or an enzymatic activity.

BRIEF DESCRIPTION OF THE DRAWINGS

[0030] Figure 1 provides exemplary vinyl-functionalized oxazolone monomers for use in the methods of the present invention.

[0031] Figure 2 provides exemplary nitroxide and alkoxyamines for use in the methods of the present invention.

[0032] Figure 3 provides an exemplary synthesis scheme for production of an oxazolone-containing homopolymer.

[0033] Figure 4 demonstrates the relationship between theoretical molecular weight and experimental molecular weight (M_n) as a function of polydispersity for the bulk polymerization of VDMO.

[0034] Figures 5A through 5F provide exemplary synthesis schemes for production of poly(oxazolone)-containing block copolymers.

[0035] Figure 6 provides a comparison of molecular weight distributions for (a) poly(VDMO) macroinitiator **5** (dashed line) and (b) poly(VDMO)-*b*-poly(styrene) block copolymer **6** (solid line) after chain extension with styrene.

[0036] Figure 7 provides a comparison of molecular weight distributions for (a) poly(*n*-butyl acrylate) macroinitiator **11** (dashed line) and (b) poly(*n*-butyl acrylate)-*b*-poly(VDMO) block copolymer **12** (solid line) after chain extension with VDMO.

[0037] Figures 8A through 8C provide chemical structures for exemplary agent:polymer conjugates having an enzymatically-cleavable linker.

DETAILED DESCRIPTION

[0038] The present invention provides for the synthesis of amine-reactive poly(vinyl oxazolones) as homopolymers or as copolymers, via a nitroxide-mediated living free radical polymerization (LFRP) process. The oxazolone-containing polymers can optionally be further functionalized to include active agents or other selected chemical substituents.

GENERAL REVIEW OF FREE RADICAL POLYMERIZATION

[0039] One of the key issues in polymer synthesis has been the control of the physical attributes of the polymeric product, such as molecular weight, polydispersity, and/or polymeric architecture. Living free radical polymerization (LFRP) was initially developed in the early 1980's as a chemical mechanism for the controlled polymerization of vinyl monomers (see, for example, Moad et al. (1982) "Selectivity of the reaction of free radicals with styrene" Macromolecules 15:909-914). Three common approaches to LFRP include atom transfer radical polymerization (ATRP), reversible addition fragmentation chain transfer (RAFT), and nitroxide-mediated polymerization (NMP). ATRP and RAFT make use of transition metal species or reversible chain transfer agents, respectively, as the capping agents to mediate the living free radical reaction. The present invention preferably utilizes the nitroxide-mediated polymerization approach to LFRP in the synthesis of oxazolone-containing polymers.

Nitroxide-mediated LFRP

[0040] The nitroxide-mediated living free radical polymerization reaction employs a stable free radical nitroxide compound as the capping agent during propagation of the polymer. The free radical of the propagating species interacts with a given monomer, thus extending the polymer; between monomer interactions, the propagating species reversibly interacts with the capping compounds to form a dormant intermediate species. Thus, the polymerization reaction proceeds in a series of activation-deactivation reactions, during which the polymer chain is propagated by the addition of a single monomer in the activated phase, and unreactive in the "dormant", or deactivated phase. Polymer synthesis is

controlled by retaining a large percentage of the growing reactive chains in the dormant state, thereby reducing the concentration of available propagating species.

[0041] Thus, nitroxide-mediated LFRP provides a mechanism by which the polymer growth can be directed while maintaining precise control of the physical attributes of the polymer. After initiating the polymer synthesis (via a short initial reaction period to generate the propagating species), the polymer chains grow homogeneously during the repeated activation-deactivation reactions, thereby generating a polymeric product having a very narrow molecular weight distribution. This is in contrast to classical free-radical polymerization, in which the radical-based reactions proceed uncontrolled (e.g., un-“capped”) until polymer synthesis is terminated. Termination is often due to the unintentional reaction between two propagating polymer chains, thereby ceasing the radical-based extension reaction for both chains. Typically, the classical free radical reactions occur over very short chain lifetimes, a lead to products having a wide molecular weight distribution. Thus, the major limitations of the classical radical polymerization approach are the broad polydispersities and the uncontrolled polymer architectures of the resulting polymeric products.

[0042] In contrast, LFRP can be employed to controllably generate specific polymeric architectures having defined polydispersities. These polymerization protocols can be used to generate either linear structures as well as various copolymer architectures, such as block copolymers and/or star copolymers. Furthermore, LFRP reaction conditions are compatible with a variety of functional groups not normally accessible by classical free radical chemistry. Thus, the LFRP approach to polymer syntheses provides relative reaction ease/simplicity, compatibility with a variety of reaction conditions, and the ability to control desired the physical characteristics of the polymeric product, such as polydispersity, polymer architecture, and molecular weight.

METHODS OF THE PRESENT INVENTION

[0043] In one embodiment of the present invention, methods for the synthesis of oxazolone-based homopolymers are provided. In other related embodiments, methods for the synthesis of various types of oxazolone copolymers (e.g., random or “statistical” copolymers, block copolymers, and the like) are provided. In addition, the present invention provides methods for the synthesis of oxazolone-based polymers conjugated to

active agents. The polymer synthesis methods for all of these embodiments proceed via similar steps whether generating a homopolymer or copolymer. The method embodiments primarily differ in a) the percentage of the optional second monomer component employed in the method steps (the absence of which corresponds to homopolymer synthesis), and b) the timing of the addition of the sets of monomers -- for example, whether the two sets of monomeric units are present concurrently (e.g. random/statistical copolymer synthesis) or during different series of repeat cycles during the synthesis (e.g. block copolymer synthesis). The compositions and methods of the present invention are further detailed in Tully et al. (2003) "Synthesis of Reactive Poly(vinyl oxazolones) via Nitroxide-Mediated 'Living' Free Radical Polymerization" Macromolecules 36:4302-4308, the contents of which are incorporated in their entirety herein.

[0044] The LFRP-based synthesis methods of the present invention typically include the steps of a) providing a desired monomer or plurality of monomers; b) providing a reactive polymer propagating species having a free radical moiety; c) reacting the reactive polymer propagating species with a member of the plurality of monomers, thereby producing an extended reactive polymer propagating species; d) coupling a nitroxide capping compound with the extended reactive polymer propagating species and forming an intermediary dormant polymer species; e) dissociating the nitroxide capping compound from the intermediary dormant polymer species, thereby regenerating the extended reactive polymer propagating species; and f) repeating the reacting, coupling, and dissociating steps with additional member monomers. The components involved in each of these steps are described in greater detail below.

Monomers

[0045] The methods of the present invention include the step of reacting a reactive polymer propagating species with a first monomer to generate an extended reactive polymer species. The monomer can be selected from a set of oxazolone monomers (e.g., during the synthesis of an oxazolone homopolymer), or the monomer can be a member of a plurality of monomers comprising a first set of vinyl-functionalized oxazolone compounds and a second set of second monomers (e.g. during synthesis of a copolymer). The first and second sets of monomers need not be provided at the same moment during the reaction (e.g., as seen during the synthesis of a block copolymer).

[0046] Any of a number of oxazolone monomers is available for use in the polymer synthesis methods of the present invention. Exemplary oxazolone monomers include, but are not limited to, the following compounds:

2-vinyl-4,4-dimethyl-5-oxazolone (VDMO)	CAS Registry 29513-26-6
2-(4'-vinyl)-phenyl-4,4-dimethyl-5-oxazolone (VPDMO)	CAS Registry 137349-06-5
2-isopropenyl-4,4-dimethyl-5-oxazolone (IPMO)	CAS Registry 15926-34-8
2-vinyl-3-oxa-1-azaspiro[4.5]dec-1-en-4-one	CAS Registry 18500-18-0
2-vinyl-4,4-diethyl-5(4H)-oxazolone	CAS Registry 129884-20-4
2-vinyl-3-oxa-1-azaspiro[4.4]non-1-en-4-one	CAS Registry 81094-93-1
2-vinyl-4,4-dibutyl-5(4H)-oxazolone	CAS Registry 159439-90-4
2-vinyl-4-ethyl-4-methyl-5(4H)-oxazolone	CAS Registry 24537-88-0
4-methyl-4-propyl-2-vinyl-2-oxazolin-5-one	CAS Registry 19294-21-4
2-vinyl-4-methyl-4-phenyl-5(4H)-oxazolone	CAS Registry 18500-21-5

[0047] Furthermore, either homogeneous pools of a single oxazolone monomer, or combinations of two or more oxazolone monomers, can be used to provide the oxazolone monomer and generate the polymers of the present invention.

[0048] For those embodiments in which a second monomer is used, a number of additional (non-oxazolone type) monomers are contemplated for use in the present invention, including, but not limited to, styrene, substituted styrene, alkyl acrylate, substituted alkyl acrylate, alkyl methacrylate, substituted alkyl methacrylate, acrylic acid, methacrylic acid, acrylonitrile, methacrylonitrile, acrylamide, N-alkylacrylamide, N-alkylmethacrylamide, N,N-dialkylacrylamide, N,N-dialkylmethacrylamide, isoprene, butadiene, ethylene, vinyl acetate, vinylidene chloride, vinylidene fluoride, vinyl chloride, vinyl fluoride, tetrafluoroethylene, 4-vinyl pyridine, 3-vinyl pyridine, 2-vinyl pyridine, and/or N-vinyl amides. Furthermore, combinations of two or more of these monomeric subunits can also be employed in the provided methods. Exemplary monomers are further described in, for example, PCT publication WO 02/056021 by Klaerner et al. ("Polymer

brushes for immobilizing molecules to a surface or substrate having improved stability”) and references cited therein.

Reactive polymer species


[0049] The polymers prepared by the methods of the present invention can be initiated either by using a selected monomer, or by using a reactive end of a growing polymer. In one embodiment of the present invention, providing the reactive polymer propagating species comprises a) providing a first monomer; b) providing an alkoxyamine compound capable of dissociating into a first nitroxide portion and a second free radical portion; and c) reacting the second free radical portion of the dissociated alkoxyamine compound with the first monomer, thereby forming a reactive polymer propagating species. The monomer can be selected from either the pool of oxazolone monomers, or from the second set of second monomers, depending upon the type (homopolymer versus copolymer) and architecture (random polymer versus block copolymer) of the desired product. In an alternate embodiment, the polymer is initiated using an oligomeric structure (e.g., a partially polymerized chain having a length less than the desired length of the polymer). As would be obvious to one of skill in the art, a product of a previous polymerization reaction is also contemplated as a substrate for the methods of the present invention. For such an embodiment, the method steps would include: a) providing a portion of a polymer; b) providing an alkoxyamine compound capable of dissociating into a first nitroxide portion and a second free radical portion; and c) reacting the second free radical portion of the dissociated alkoxyamine compound with the portion of the polymer, thereby forming a reactive polymer propagating species. Typically, the polymer portion selected for activation is a terminus of the polymer.

Alkoxyamines

[0050] The methods of the present invention preferably employ alkoxyamines for the initiation and/or propagation of the living free radical polymerization reaction (e.g., as initiator/control agents; see, for example, Hawker et al.(2001) Chem. Rev. 101:3661-3688 and references cited therein. Alkoxyamine compound can be dissociated into two components (the first nitroxide portion and the second free radical portion), either or both of which can be used during the LFRP reaction. The second free radical portion functions to provide the free radical necessary to initiate the polymerization reaction, thereby generating

a reactive monomer (or nascent polymer). Optionally, the first nitroxide portion of the alkoxyamine compound is further employed as the nitroxide capping compound in the coupling step.

[0051] Two exemplary alkoxyamine compounds which can be used in the present methods are N-(1,1-dimethylethyl)- α -(1-methylethyl)-N-(1-phenylethoxy)-benzenemethanamine (CAS Registry 227000-59-1) and 2,2,6,6-tetramethyl-1-(1-phenylethoxy)-piperidine (CAS Registry 154554-67-311). Typically, an alkoxyamine compound having the formula



can be employed in the methods of the present invention, wherein Y is the second free radical portion of the alkoxyamine, X represents a chemical moiety that destabilizes the Y-O bond (facilitating generation of the first nitroxide portion and the second free radical portion), and R1, R2 and R3 independently comprise a hydrocarbon, a substituted hydrocarbon moiety (e.g., an alkyl, aryl, cycloalkyl group) or a heteroatom-containing moiety (e.g., an amino, boryl, phosphino, seleno, silyl, or thio-containing moiety). Exemplary compositions are provided, for example, in US Patent No. 4,581,429 to Solomon et al. ("Polymerization process and polymers produced thereby"), and in PCT publications WO 96/24620 by Grimaldi et al. ("Polymerization in the presence of a β -substituted nitroxide radical"); WO98/30601 by Anderson et al. (Method of controlling polymer molecular weight and structure"); WO 99/03894 by Nesvadba et al. ("Polymerizable compositions containing alkoxyamine compounds derived from nitroso- or nitron compounds") and WO 02/056021, *supra*.

[0052] Optionally, the polymerization reaction is performed in the presence of an excess of free nitroxide. For example, in addition to the alkoxyamine compound(s), the reaction solution optionally includes 1%, 2%, 3%, 4%, or 5% additional free nitroxide (molar concentration as compared to alkoxyamine). The excess free nitroxide can be the

same chemical entity as the first nitroxide component of the dissociated alkoxyamine compound, or it can have a different chemical structure.

Nitroxide capping compounds

[0053] The reactive polymer propagating species (initial monomer or growing polymer chain) undergoes living free radical polymerization with a member of the plurality of monomers, thereby producing an extended reactive polymer propagating species. During this process, the free radical portion of the propagating species interacts with the selected monomer, during which the free radical is propagated to the new terminus of the extended reactive polymer propagating species. The extended polymer is then capped with a nitroxide capping compound, thereby generating an intermediary dormant species characteristic of the LFRP reaction.

[0054] Any nitroxide compound known to one of skill in the art can be employed as the nitroxide capping compound in the methods of the present invention. Preferably, the nitroxide capping compound comprises a nitrosyl compound having an α -secondary carbon (see Hawker et al., *supra*.) Exemplary nitroxide capping compounds for use in the present methods include, but are not limited to, 1,1-dimethylethyl 2-methyl-1-phenylpropyl nitroxide (CAS Registry 61015-94-9) and 2,2,6,6-tetramethyl-1-Piperidinyloxy ("TEMPO", CAS Registry 2564-83-2). However, any nitroxide generated from an alkoxyamine described herein, and/or any nitroxide having the general chemical structure $R_1R_2NO\cdot$ can be used in the methods of the present invention.

[0055] During the polymerization reaction, the reactive terminus of the polymer is deactivated by coupling with the nitroxide capping compound, then re-activated by dissociation of the nitroxide capping compound from the intermediary dormant species. A reactive propagating species is thus regenerated, in a form extended by one monomeric unit as compared to the previous iteration (e.g., an extended reactive polymer propagating species), and is ready to undergo another addition cycle. The repeated cycles of reacting, coupling, and dissociating steps with additional monomers (either oxazolone or otherwise) ultimately leads to the synthesis of the oxazolone-containing polymer, via the described nitroxide-mediated controlled living free radical polymerization reaction. Optionally, the polymer so generated will have a polydispersity of less than or equal to 1.20, and preferably

a polydispersity of ≤ 1.15 , or more preferably ≤ 1.10 (as determined, for example, by size exclusion chromatography).

[0056] Optionally, a polymer product of the present invention has a weight average molecular weight falling within the range of between approximately 10,000 Da and 100,000 Da, depending upon various factors such as the selected monomer compositions and extent of polymerization. In some embodiments, the polymer products have molecular weights in the range between approximately 10,000 Da and 50,000 Da, or between approximately 25,000 Da and 35,000 Da. Alternatively, the molecular weight of the polymer of the present invention can range between approximately 50,000 Da and 100,000 Da in size (e.g., a high molecular weight polymer).

[0057] For the synthesis of copolymers (either block or random), the composition of the product polymer will depend upon the ratio of oxazolone and non-oxazolone monomers used, as well as the timing of their addition to the reaction mixture. In one embodiment of the present invention, the plurality of monomers comprises 50% vinyl-functionalized oxazolone compounds and 50% second monomers (i.e., a 50:50 ratio). In an alternate embodiment, the plurality of monomers comprises 90% vinyl-functionalized oxazolone compounds and 10% second monomers. In yet another embodiment, the plurality of monomers comprises 10% vinyl-functionalized oxazolone compounds and 90% second monomers. Further ratios of first to second monomer are also contemplated, such as 20:80, 25:75, 40:60, 60:40, 75:25, and 80:20, and will depend in part upon the intended use of the product polymer.

[0058] The LFRP reaction can be repeated as many times as necessary to produce the desired polymeric product having a low polydispersity, as determined by any of a number of methods known to one of skill in the art. Exemplary methods for determination of polydispersity include, but are not limited to, size exclusion chromatography, gel permeation chromatography, laser light scattering, and the like. In a preferred embodiment, polydispersity is determined by a combination of size exclusion chromatography/gel permeation chromatography techniques (SEC/GPC). However, any method capable of providing the molecular weights M_n and M_w of a polymer can be used. Optionally, the polymer so generated will have a polydispersity of less than or equal to 1.20, and preferably

a polydispersity of ≤ 1.15 , or more preferably ≤ 1.10 as determined, for example, by SEC/GPC.

[0059] Reaction temperatures for performing the LFRP reaction typically range between 100-130°C. Optionally, the reaction can be performed at temperatures ranging from 120-125°C, or for some embodiments, the reaction temperature can be held at 123°C. The length of the reaction will depend in part upon the dissociation rate of the capping compound the temperature of the reaction, and the length of the desired polymeric product. Typically, the methods of the present invention are performed for between one and 24 hours; preferably, the reaction is sustained for between 4 and 16 hours. In a preferred embodiment (such as some embodiments provided in the Examples section herein), the polymerization reaction is complete after 4 hours.

[0060] Optionally, the polymer products undergo further purification after the LFRP reaction (e.g., the series of repeated reacting, coupling and dissociating steps) is completed. For example, the polymer can be dissolved in a first solvent (e.g., chloroform), and then precipitated using a second solvent (e.g., hexanes). Optionally, the product polymer can be filtered, washed, and/or dried. Such procedures are common to a variety of polymer synthesis techniques, the necessity of which can easily be determined by one of skill in the art.

POLYMER PRODUCTS AND CONJUGATED POLYMER PRODUCTS

[0061] The present invention also provides oxazolone-containing homopolymers and copolymers as prepared by the methods of the present invention. Preferably, the oxazolone-containing polymer has a polydispersity of less than or equal to 1.20 as determined by methodologies typically employed in polymer analysis (e.g., SEC/GPC). Optionally, the polydispersity of the product polymer is less than or equal to 1.15, or even less than or equal to 1.10. The weight average molecular weight of the polymer product will depend upon the selected composition and can optionally range in value between approximately 10,000 Da and 100,000 Da. For example, the oxazolone-containing polymers of the present invention can optionally be prepared wherein the polymer has a polydispersity of less than or equal to 1.20 and a weight average molecular weight greater than about 5000 Da. In some embodiments of the present invention, the homopolymer or copolymer has a weight average molecular weight greater than about 10,000 Da and less

than about 50,000 Da. In alternate embodiments, the homopolymer or copolymer has a weight average molecular weight greater than about 50,000 Da and less than about 100,000 Da. In some embodiments, the homopolymer or copolymer has a weight average molecular weight greater than about 25,000 Da and less than about 35,000 Da.

[0062] The present invention also provides compositions of the active agent:polymer conjugates as prepared by the methods described herein. The compositions can be used, for example, as pharmaceutical formulations (e.g., for active agents having a therapeutic action), or as contrast agent formulations. Typically, the active agent is covalently coupled to the polymer. In a preferred embodiment, the active agent is coupled to the polymer via a cleavable linker.

[0063] The polymers prepared by the methods of the present invention can be used for a number of purposes, including, but not limited to, the preparation of polymer-conjugated active agents (such as drug formations or diagnostic agents), or surface-grafted polymer multilayers (e.g., for the covalent immobilization of proteins and peptides to chemically modified surfaces).

Active Agent:Polymer Conjugates

[0064] The methods of the present invention can optionally be used to prepared oxazolone-containing polymers (e.g., homopolymers, random copolymers, block copolymers, etc.) coupled to a biologically-active agent such as a therapeutic agent or drug compound (see, for example, Figure 8). For these embodiments, the methods for preparing oxazolone-containing polymers further include the steps of a) providing a functionalized active agent; and b) conjugating the functionalized active agent to the oxazolone-containing polymer, thereby synthesizing an active agent-conjugated oxazolone-containing polymer via a nitroxide-mediated controlled living free radical polymerization reaction. The agent-polymer conjugate can be prepared from either an oxazolone homopolymer or an oxazolone-containing copolymer.

[0065] Any of a number of active agents (e.g., compounds of interest) can be coupled or conjugated to the oxazolone-containing polymers of the present invention, the selection of which will depend, in part, upon the presence of (or amenability to modification to include) a reactive functionality, as well as the intended use of the conjugated polymer. Optionally, a selected active agent of interest is chemically altered for use in the polymer

synthesis methods. For example, in some cases the active agent is modified to incorporate a reactive amine or hydroxyl group, in order to facilitate the conjugation reaction. Active agents for use in the present invention include, e.g., therapeutic agents, contrast agents, diagnostic agents, targeting agents, and the like.

[0066] Exemplary biologically-active agents contemplated for use in the present invention include, but are not limited to, various prescription and over-the-counter medications, therapeutic proteins and/or peptides, ACE inhibitors; analgesics and analgesic combinations; local and systemic anesthetics; antihistamines; anti-inflammatory agents; anti-asthmatic agents; anticoagulants, antidiabetic agents; anti-infectives (including but not limited to antibacterials, antibiotics, antifungals, antihelminthics, antimalarials and antiviral agents); antioxidants; cardiac and/or cardiovascular preparations (including angina and hypertension medications, anti-arrhythmic agents, cardiotonics, and cardiac depressants); calcium channel blockers and/or beta blockers; vasodilators; vasoconstrictors; contraceptives, hormones steroids, growth factors, and the like; chemotherapies, including various antineoplastics; decongestants; vitamins, herbal preparations and active component isolates; muscle relaxants; immunoreactive compounds, such as immunizing agents, immunomodulators, and immunosuppressives; neurologically-active agents including Alzheimers and Parkinsons disease medications; migraine medications; adrenergic receptor agonists and antagonists; cholinergic receptor agonists and antagonists; anti-anxiety preparations, anxiolytics, anticonvulsants, antidepressants, anti-epileptics, antipsychotics, antispasmodics, psychostimulants, hypnotics, sedatives and tranquilizers; various combinations of these compounds, and the like.

[0067] The “active agents” of the present invention need not have a biological activity (for example, have an enzymatic activity, or be capable of undergoing a biochemical reaction) for consideration and use in the oxazolone polymers described herein; compounds having novel physical properties (e.g., binding affinities, label characteristics) are also contemplated as “active agents.” The methods of the present invention can be used to prepared oxazolone-containing polymers coupled to additional active agents of interest, such as contrast agents, diagnostic agents, targeting agents and the like. Exemplary contrast agents which can be coupled to the oxazolone-containing polymers of the present invention include, but are not limited to, MRI contrast agents, X-ray contrast agents, PET contrast agents, CT contrast agents, ultrasonography contrast agents. In addition, diagnostic agents

such as various fluorescent probes, chromophores, labeled nucleic acids, and/or radioisotopes can be conjugated to the polymer. Furthermore, imaging agents such as tyrosinamide, or targeting agents (e.g. biotin, avidin, various lectins, and the like) can also be conjugated to the polymers described herein. Moreover, a combination of these (and other) active agents is contemplated in the present invention.

[0068] While any of a number of reactions known to one of skill in the art are contemplated for use in the conjugation process, two simple chemical reactions are notably considered and readily available for complexation of active agents to the product polymer. For example, poly(oxazolones) react readily with amines at room temperature to produce the corresponding poly(acrylamides), as depicted in Figure 3. Alternatively, the polymer can be reacted with alcohols in the presence of base to afford ester functionalized poly(acrylamides). This approach to polymer modification, via a ring-opening addition reaction, is particularly attractive from a synthesis point of view, since the reaction proceeds without the addition of any external reagents and without the production of condensation byproducts, thereby greatly simplifying purification of the polymer-agent conjugate.

[0069] Typically, the active agent is covalently coupled to the polymer. In a preferred embodiment, the active agent is coupled to the polymer via a cleavable linker. Exemplary cleavable linkers for use in the present invention include peptide linkers presenting enzymatic cleavage sites, such as those described in PCT publication WO 98/19705 to King et al. ("Preparation of branched peptide linkers").

[0070] The polymer with its conjugated active agent can be applied or administered to an organism or a patient by any of a number of mechanisms known in the art. Most commonly, a soluble polymer-active agent conjugate is administered as an oral formulation or an intravenous formulation; however, a solid formulation of the conjugated polymer (such as a tablet or capsule) or an aerosolized formulation is also contemplated herein. Optionally, one or more excipients is also included with the conjugated polymer, such as conventional nontoxic binders, disintegrants, flavorings, and carriers (e.g., pharmaceutical grades of mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, magnesium, carbonate, and the like). Exemplary excipients are provided, for example, in Remington's Pharmaceutical Science, 17th ed. (Mack Publishing Company, Easton, PA, 1985).

[0071] This facile polymer modification reaction provides a versatile and attractive mechanism for introducing a wide variety of functionalities (e.g., active agents or other chemical moieties) into the polymer structure without having to prepare and then orchestrate the polymerization of individually-modified monomers. This approach is particularly attractive for the synthesis of conjugated copolymers, for which multiple modified monomers must be coordinated. In addition, post-synthesis modification of the polymer to form the desired conjugated product avoids potential difficulties which might arise during the polymer synthesis reactions. For example, the chemical functionalities to be introduced into the product polymer may not be compatible with the polymerization conditions, or solubility problems could arise during the polymerization reaction. It is not uncommon for one or more members of the plurality of monomers to be immiscible in the polymerization medium, or for the growing polymer chain to become insoluble in its monomer solution. Thus, the preparation of soluble polymer conjugates of active agents such as biological molecules (e.g., peptides and proteins) is more conveniently accomplished through the post-polymerization functionalization of a reactive polymer, rather than by the copolymerization of active agent-functionalized macromonomers.

[0072] One goal of administering an active agent-polymer conjugate (rather than the agent alone) is to increase the half-life of the active agent in an organism. In these (and other) embodiments of the present invention, the active agent is optionally coupled to the oxazolone-containing polymer by a cleavable linker, such that the active agent can be release from the polymer during the administration. One preferred type of linker is an enzymatically-cleavable linker, such as an oligopeptide or an oligosaccharide. The cleavable linker is at least two units (e.g., amino acids, sugars, or other repeating units) in length, and can include as many as 5, 10, 20 or even more repeating units. Optionally, the oligopeptide or oligosaccharide provides a cleavage site (e.g., the amide bond or glycosidic linkage) recognized by a specific lyase (e.g., protease or glycosidase), present at a target location within the organism. Exemplary cleavable linkers are described, for example, in PCT publications WO 98/56424 and WO 98/56425 by Duncan et al. ("Biologically Active Materials" and "Pharmaceutical Compositions containing Antibody-Enzyme Conjugates in Combination with Prodrugs"), as well as in WO 98/19705 to King et al, *supra*.

Surface-bound conjugated polymers

[0073] In another embodiment, the oxazolone-containing polymers of the present invention are grafted onto amino-functionalized surfaces to provide an amine reactive functional polymer film. The polymer film thus formed can be used, for example, for the covalent immobilization of a number of chemical or biochemical compositions, such as proteins or peptides, nucleic acids (DNA or RNA), antigens, antibodies, ligands, and the like. Preferably, the polymer is conjugated to the active agent prior to coupling to a reactive surface; however, the conjugation reaction can optionally be performed after deposition of the polymer onto the selected surface.

[0074] The surface-grafted oxazolone polymer multilayers can be prepared as follows. An aminoalkyl-functionalized substrate is provided (e.g., silanized glass, silicon wafers, quartz, a silicate surface modified with an amino-functionalized organic coating, or any amine-functionalized organic surface). The amino-alkyl functionalized substrate is immersed into a solution (e.g., 5mg/ml) of the oxazolone-containing polymer of the present invention prepared in an appropriate solvent (for example, DMF, DMAc, NMP, DMSO, CHCl₃, dioxane, toluene, THF, acetone, ethyl acetate, MTBE, glymes, etc.) with 1% amine base (Et₃N, i-Pr₂NEt, 2,6-Lutidine, Pyridine, DBU, DABCO, DMAP, etc.) for approximately 18 hours at room temperature. The substrates are washed with solvent to remove any unreacted polymer and dried with a nitrogen stream.

[0075] The substrate-bound oxazolone-containing polymers of the present invention can be used for a number of functions. For example, in a further embodiment, the polymers of the present invention can be used to generate antigen-polymer conjugates and/or antibody-polymer conjugates for use, for example, in diagnostic devices. Antigens related to a variety of bacteria, viruses and/or parasites, or antibodies generated against one or more antigens (e.g., during an immune response to one of these organisms), can optionally be conjugated to the polymers of the present invention. For example, prokaryotic systems which could be detected using a surface-bound polymer-antigen (or antibody) conjugate include, but are not limited to, *Bacillus*, *Chlamydia*, *Escherichia*, *Helicobacter*, *Heliobacterium*, *Haemophilus*, *Mycobacterium*, *Mycoplasma*, *Rickettsia*, and *Trypanosoma* (See, for example, the lists of microorganism genera provided by DSMZ-Deutsche Sammlung von Mikroorganismen und Zellkulturen GmbH, Braunschweig, Germany, at www.dsmz.de/species). Detectable viral systems include, but are not limited to,

adenoviruses; coronaviruses; various strains of hepatitis; herpes viruses; influenza and parainfluenza viruses; papova viruses such as SV40, polyoma and papilloma viruses; pox viruses; polio and other picorna viruses (including enteroviruses and rhinoviruses); rhabdoviruses (rabies); rubella and other togaviruses; as well as various oncogenic viruses, such as Epstein-Barr virus, herpes simplex virus, cytomegalovirus, sarcoma viruses, and the like. (See Dulbecco and Ginsberg Virology (reprinted from Davis, Dulbecco, Eisen and Ginsberg's Microbiology, third edition (1980) Harper and Row, Philadelphia, PA).

KITS

[0076] In another embodiment, this invention provides kits for practice of the methods of the present invention as described herein. The kits typically include one or more oxazolone monomers, and at least one initiator compound, (e.g., an alkoxyamine compound capable of dissociating into a first nitroxide portion and a second free radical portion, or a precursor thereof). Optionally, the kits also provide at least one nitroxide capping compound (e.g., for use during the formation of an intermediary dormant polymer species).

[0077] In some embodiments, the kits of the present invention a plurality of monomers for use in the synthesis of oxazolone-containing polymers. For example, the kits can optionally include a first set of vinyl-functionalized oxazolone monomers and a second set of second (non-oxazolone) monomers, as described herein. Exemplary second monomers include, but are not limited to, styrene, substituted styrene, alkyl acrylate, substituted alkyl acrylate, alkyl methacrylate, substituted alkyl methacrylate, acrylic acid, methacrylic acid, acrylonitrile, methacrylonitrile, acrylamide, N-alkylacrylamide, N-alkylmethacrylamide, N,N-dialkylacrylamide, N,N-dialkylmethacrylamide, isoprene, butadiene, ethylene, vinyl acetate, vinylidene chloride, vinylidene fluoride, vinyl chloride, vinyl fluoride, tetrafluoroethylene, 4-vinyl pyridine, 3-vinyl pyridine, 2-vinyl pyridine, N-vinyl amides, and the like.

[0078] In some embodiments, the kits of the present invention also provide one or more amine-functionalized agents and/or one or more hydroxyl-containing agents to be conjugated to the oxazolone-containing polymer. Exemplary agents for coupling include, but are not limited to, therapeutic agents, contrast agents, diagnostic agents and/or targeting agents having (or modified to incorporate) the appropriate functionalization moiety for coupling to the oxazolone-containing polymer.

[0079] The kits of the present invention can additionally include any of the other components described herein for the practice of the methods of this invention. Such materials can include, but are not limited to, various solvents, buffers, chromatographic matrices, and the like.

[0080] The kits may optionally include instructional materials containing directions (i.e., protocols) disclosing the synthesis methods described herein. While the instructional materials typically comprise written or printed materials, they are not limited to such, and can also (or alternatively) include electronic storage media (e.g., magnetic discs, tapes, cartridges, chips), optical media (e.g., CD ROM), or other media capable of storing such instructions and communicating them to an end user. Such media may include addresses to internet sites that provide such instructional materials.

EXAMPLES

[0081] The following examples are offered to illustrate, but not to limit the claimed invention. It is understood that the examples and embodiments described herein are for illustrative purposes only and that various modifications or changes in light thereof will be suggested to persons skilled in the art and are to be included within the spirit and purview of this application and scope of the appended claims.

[0082] There have been several reports regarding the traditional free radical copolymerization of VDMO using azo-initiators (see, for example, Taylor et al. (1971) Polymer Lett. 9:187-190; Taylor et al. Makromol. Chem. Rapid Commun. 1982, 3, 779-782; and Heilmann et al. (2001) J. Polym. Sci. Part A: Polym. Chem. 39:3655-3677 and references therein). Experimentally-determined reactivity ratios for the copolymerization parameters of VDMO have also been reported (Muthiah and Mathias (1991) J. Polym. Sci. Part A: Polym. Chem. 29:29-37; Fazio et al. (1992) J. Polym. Sci. Part A: Polym. Chem. 30:329-331; and Rasmussen et al. (1988) in Encyclopedia of Polymer Science and Engineering (2nd Edition) pp. 558-571 and references therein).

[0083] The synthesis of random copolymers by living free radical processes is a more attractive and convenient method for random copolymer synthesis, especially in terms of preserving homogeneity on the microscopic level of individual polymer chains. Since all chains initiate at approximately the same time and propagate at approximately the same rate, all chains experience the same monomer feed. The resulting copolymer product is

homogeneous both with respect to molecular weight and to monomer composition among individual polymer chains. We have found that VDMO can be polymerized with accurate molecular weight control and polydispersities at or below 1.10 by nitroxide mediated living radical polymerization. In the present invention, we have provided for the homopolymerization of VDMO and VPDMO and their copolymerization with a variety of different monomers, in addition to the preparation of reactive block copolymers with narrow polydispersities.

[0084] Nitroxide **1**, alkoxyamine **2**, VPDMO and IPMO were synthesized according to previously published procedures (see Benoit et al. (1999) J. Am. Chem. Soc. 121:3904-3920; Fazio et al. (1992) J. Poly. Sci. Part A: Poly. Chem. 30:329-331; Iwakura et al. (1966) J. Polym. Sci., Part A-1 4:2649-2657; and Iwakura et al (1968) J. Polym. Sci., Part A-1 4:2681-2686). VDMO (99%) was purchased from TCI-America (Portland, OR) and distilled immediately prior to use. Styrene (99%), 4-acetoxystyrene (96%), methyl acrylate (99%), ethylene glycol methyl ether acrylate (98%), *n*-butyl acrylate (99+%), *tert*-butyl acrylate (98%), methyl methacrylate (99%), methacryloyl chloride (98+%), N,N-dimethylacrylamide (99%), 1-vinyl-2-pyrrolidinone (99+%), and acrylonitrile (99+%) were purchased from Sigma-Aldrich (Milwaukee, WI), each of which were distilled immediately prior to use. 4-Vinyl benzoic acid (97%) and α -aminoisobutyric acid (99%) were purchased from Fluka Chemical Corp (Milwaukee, WI) and used without further purification. 2-Pentadecyl-4,4-dimethyl-2-oxazolin-5-one (99%) was purchased from Lancaster Synthesis (Windham, NH) and used without further purification. Anhydrous grade solvents were purchased from Sigma-Aldrich (Milwaukee, WI) and used without further purification. A 0.1 M solution of nitroxide **1** in cyclohexane was prepared and used for a more accurate volumetric addition to the polymerization reactions.

[0085] Nuclear magnetic resonance spectroscopy was performed on a Bruker DPX Avance-400 in CDCl₃. Elemental analysis was performed by M-H-W Laboratories (Phoenix, AZ). Size exclusion chromatography (SEC) was carried out at ambient temperature using THF as eluent at a flow rate of 1.0 mL/minute on a system consisting of a K-501 pump (Knauer), a K-3800 Basic autosampler (Marathon), a set of two PLgel 5 μ m mixed-D columns (300 x 7.5 μ m) rated for linear separations for polymeric molecular weights from 200-400,000Da (Polymer Laboratories), and a PL-ELS 1000 evaporative light scattering detector (Polymer Laboratories). Data were acquired through a PL Datastream

unit (Polymer Laboratories) and analyzed with Cirrus GPC software (Polymer Laboratories) based upon a calibration curve built upon polystyrene standards with peak molecular weights ranging from 580 – 480,000 kg/mol (EasiCal PS-2, Polymer Laboratories).

Example 1: Bulk Homopolymerization of VDMO

[0086] We initially examined the bulk homopolymerization of VDMO (DP = 250) and its dependence on both time and temperature, using nitroxide **1** and alkoxyamine **2** (Figure 2) to explore the polymerization of vinyl-functionalized oxazolones, based in part upon exceptional versatility and relative ease of synthesis of these substrate compounds. A solution of VDMO (4.00 g, 29.0 mmol), alkoxyamine **2** (36.7 mg, 0.116 mmol) and nitroxide **1** (1.3 mg, 5.8 mmol) was degassed by three freeze/pump/thaw cycles and sealed under nitrogen. The solution was stirred at 123°C for 12h. The clear, solid plug was then dissolved in chloroform and precipitated into hexanes (2L). The fine, white precipitate was filtered, washed with additional hexanes, and dried under vacuum to give the desired poly(VDMO) as a very fine white powder (3.28g, 81%). $M_n = 31.5$ kDa, PD = 1.04.

[0087] Using alkoxyamine **2** alone as unimolecular initiator, an appreciable degree of control is preserved throughout the course of the polymerization to high conversions upwards of 90%, with polydispersities around 1.15 (Table 1). Hawker and coworkers have previously shown that the addition of a slight excess of free nitroxide (approximately 5% relative to alkoxyamine) has a significant effect on the polymerization of acrylates, providing a much higher degree of control with polydispersities below 1.10 (Benoit et al. (1999) J. Am. Chem. Soc. 121:3904-3920). A similar effect is observed in the present invention with VDMO, as polydispersities of 1.02-1.09 were routinely achieved at very high conversions (ca. 90-95%.) with the addition of 5% free nitroxide **1** relative to alkoxyamine **2**.

[0088] As conversions approach 100% at the longer reaction times (≥ 8 h), a slight high molecular weight shoulder with a molecular weight double that of the primary peak began to appear in the SEC trace. This presumably arises as a result of termination via chain-chain coupling, which is not surprising given the low glass transition temperature of poly(VDMO) ($T_g = 92^\circ\text{C}$) relative to the temperature of the bulk polymerization (123°C). A similar tendency was observed for the bulk nitroxide-mediated LFRP of polyisoprene (see Benoit et al. (2000) Macromolecules 33:363-370). This undesirable chain-chain

coupling is easily avoided by either stopping the polymerization of VDMO when conversions of approximately 90-95% have been attained (e.g., in this embodiment, after approximately 4 hours), or by decreasing the temperature of the bulk polymerization. Several lower temperatures were examined down to 105°C, and a high degree of control was still preserved with polydispersities below 1.10 in each case (see Table 1). Although the time required to reach full conversion was increased considerably, no high molecular weight shoulder was observed in the GPC traces for bulk polymerizations of VDMO conducted at 115 °C or below.

[0089] Table 1: Bulk homopolymerization of VDMO and the dependence on time and temperature.

Initiator	Temp (°C)	Time (h)	Mn (kDa)	PDI
2 only	123°	0.5	9.7	1.22
		1	13.4	1.14
		2	24.3	1.13
		4	27.7	1.15
		8	29.6	1.16
		16	33.2	1.13
2 and 1 (5%)	123°	0.5	4.2	1.08
		1	5.3	1.09
		2	10.3	1.09
		3	28.5	1.02
		4	31.5	1.04
		5	34.3	1.04
		8	33.9	1.14
		16	32.5	1.19
2 and 1 (5%)	115°	8	35.5	1.07
2 and 1 (5%)	110°	8	20.6	1.04
		16	29.9	1.07
		48	32.0	1.05
2 and 1 (5%)	105°	8	20.9	1.03
		24	29.8	1.04
		80	33.0	1.09
3 only	123°	24	33.2	1.22
3 + TEMPO(5%)	123°	24	35.8	1.26

Ratio of VDMO:Alkoxyamine = 250 : 1 and 5% excess nitroxide relative to alkoxyamine. Theoretical molecular weight = 34.5 kDa.

Example 2: Polymerization of VDMO using Initiator 3

[0090] For comparison, bulk homopolymerization of VDMO was performed at 123°C in the presence of TEMPO-derived unimolecular initiator **3** (Figure 2), both with and

without excess TEMPO (5% relative to **3**). At high conversions, there is a noticeably lesser degree of control compared to the polymerization with alkoxyamine **2**, with polydispersities typically in the range of 1.20-1.30 (see Table 1). Interestingly, as the polymerization of VDMO in the presence of **3** approaches full conversion (both with and without excess TEMPO), no high molecular weight shoulder is observed in the SEC trace. However, the apparent absence of this shoulder may simply be the result of its having become obscured beneath the relatively broad main peak of the polymer.

Example 3: Preparation of Polymers having Varied Molecular Weights

[0091] The living character of nitroxide-mediated polymerization provides the capability for easy tuning of the desired molecular weight by merely varying the ratio of monomer to initiator. To demonstrate this, a series of polymerization reactions were performed at 123 °C using varying VDMO:initiator ratios (ranging from 50:1 to 1000:1). In each case, the polymerization was stopped after 4 h at approximately 90% conversion. As shown in Figure 3, excellent control over molecular weight is obtained up to approximately 100 kDa, as illustrated by both a linear relationship between theoretical and experimental molecular weights and polydispersity values consistently under 1.10. At higher target molecular weights, the product polydispersities are slightly increased, ranging from about 1.10 to 1.20.

Example 4: Polymerization of Additional Oxazolone Monomers

[0092] We have also investigated the nitroxide-mediated LFRP of other oxazolone-functionalized monomers, such as 2-(4'-vinyl)phenyl-4,4-dimethyl-5-oxazolone (VPDMO) and 2-isopropenyl-4,4-dimethyl-5-oxazolone (IDMO).

[0093] A mixture of VPDMO (2.00g, 9.30 mmol), acetic anhydride (8.8 μ L, .093 mmol) and alkoxyamine **2** (11.8 mg, 0.047 mmol) in a vial was purged with nitrogen for 5 minutes and sealed. The mixture was stirred at 123°C for 16h. The solid plug was dissolved in chloroform, precipitated into hexanes, filtered and dried under vacuum, affording poly(VPDMO) as a fine white powder (1.68, 84%) M_n = 43.6 kDa, PD = 1.24.

[0094] The bulk homopolymerization of VPDMO at 123 °C in the presence of either alkoxyamine **2** or **3** gives similar results (Table 2). Both proceed to high conversions (>95%) after 16h, with a similar degree of control being achieved regardless of initiator

used. Namely, polydispersities for poly(VPDMO) consistently range from 1.20 – 1.30 regardless of the initiator used, target molecular weight, or additives.

[0095] Conversely, no appreciable degree of molecular weight control was obtained for the bulk homopolymerization of IDMO with either alkoxyamine initiator **2** or **3** (using the same reaction protocol). The resulting low molecular weight poly(IDMO) product was polydisperse, with values for M_w/M_n typically well above 1.50, and in some cases the molecular weight distribution was multimodal. This was not altogether unexpected considering its structural and electronic similarity to methyl methacrylate. An enhanced degree of molecular weight control was achieved when IDMO was polymerized in the presence of alkoxyamine **2** with at least 30% styrene in the initial monomer feed. The resulting copolymers obtained approached target molecular weights and polydispersities ranged from 1.10-1.25.

[0096] Table 2: Bulk homopolymerization of VPDMO (200 equiv.) in the presence of an alkoxyamine initiator and additive at 123 °C for 16h.

INITIATOR	Additive	M_n (kDa)	PDI
2	Ac ₂ O 2.0 equiv.	32.8	1.30
2	1 0.05 equiv.	25.3	1.27
TEMPO	Ac ₂ O	35.6	1.29

Example 5: Copolymerization of VDMO


[0097] Random (e.g., statistical) copolymers of VDMO and a second monomer were also achieved using nitroxide-mediated LFRP. In general, a solution of VDMO (1.00 g, 7.25 mmol), the desired comonomer (21.75 mmol), alkoxyamine **2** (36.7 mg, 0.116 mmol,) and nitroxide **1** (1.3 mg, 5.8 µmol) was degassed by three freeze/pump/thaw cycles and sealed under nitrogen. The solution was stirred at 123° C until the reaction reached approximately 95% conversion (approximately 8 h for styrenics and approximately 16 h for acrylates). The solid reaction mixture was then dissolved in chloroform and precipitated into hexanes or ether (2L). The precipitate was filtered, washed with additional hexanes, and dried under vacuum.

[0098] Bulk copolymerization of VDMO with styrene at 123 °C was initially examined (Table 4). A solution of VDMO (1.00 g, 7.25 mmol), styrene (755 mg, 7.25 mmol), alkoxyamine 3 (18.9 mg, 0.058 mmol), acetic anhydride (11 microliter, 0.116 mmol) was degassed by three cycles of freeze/pump/thaw and sealed under nitrogen. The stirring solution was heated at 123°C for 16h. The clear, solid plug was then dissolved in chloroform and precipitated into hexanes (2L). The fine, white precipitate was filtered, washed with additional hexanes, and dried under vacuum to give the desired poly(VDMO) as a very fine white powder.

[0099] Monomer feed ratios were varied from 10% styrene to 90% styrene, confirming that excellent control over the polymer product is maintained, with polydispersities consistently at or below 1.10. At higher percentages of VDMO in the feed (>50%), addition of excess free nitroxide 1 (5%) was observed to preserve low polydispersities (≤ 1.10). Additives such as acetic anhydride and other acylating agents have been shown in the art to increase the rate of nitroxide-mediated polymerization of styrenic monomers (see, for example, Malmström et al. (1997) Tetrahedron 53:15225-15236). Addition of acetic anhydride (2 equivalents relative to alkoxyamine) to the bulk copolymerization reaction of the present invention also increased the rate of polymerization when styrene was the dominant comonomer. However, acetic anhydride had no measurable effect on the polymerization rate when the comonomer feed consisted predominately of VDMO.

[0100] Interestingly, the oxazolone ring (itself an acylating agent) had no observable effect on the homopolymerization of styrene. To demonstrate this, the bulk homopolymerization of styrene with alkoxyamine 1 was performed alone and in the presence of 2-pentadecyl-4,4-dimethyl-2-oxazolin-5-one (2.0 equivalents relative to alkoxyamine). At the several reaction timepoints examined (4h, 6h, and 8h), there was no observable difference in conversion or molecular weight between the polystyrene prepared in the presence or absence of 2-alkyl oxazolone (Table 3)

[0101] Table 3. Effect of 2-pentadecyl-4,4-dimethyl-2-oxazolin-5-one **15** (2 equiv.) on bulk polymerization of styrene (250 equiv.) in the presence of alkoxyamine **1** at 123 °C.

Additive	Time	Conversion	Mn (kDa)	PDI
15: 	4 h	65 %	16.9	1.04
none	4 h	68 %	17.0	1.03
15	6 h	85 %	21.9	1.04
none	6 h	82 %	20.3	1.03
15	8 h	98 %	27.6	1.05
none	8 h	97 %	25.5	1.03









Example 6: Copolymerization of VDMO with additional monomers



[0102] Copolymerization of VDMO with several additional (i.e., non-styrenic) functional monomers was also examined (also shown in Table 4), as described for the previous example. For example, for a 1:3 ratio of VDMO:comonomer, a solution of VDMO (1.00 g, 7.25 mmol), the desired co-monomer (21.75 mmol), alkoxyamine **3** (36.7 mg, 0.116 mmol) and nitroxide **4** (1.3 mg, 5.8 mmol) was degassed by three cycles of freeze/pump/thaw and sealed under nitrogen. The stirring solution was heated at 123°C for 16h. The solid reaction mixture was then dissolved in chloroform and precipitated into either hexanes or ether (2L). The precipitate was filtered, washed with additional hexanes, and dried under vacuum.

[0103] In most cases, copolymerization of VDMO with non-styrenic monomers was generally tolerated, and afforded statistical (random) copolymers with low polydispersities (≤ 1.30) throughout a wide range of comonomer feed ratios. Well-defined random copolymers of VDMO and methyl methacrylate (MMA) could be prepared with high concentrations of MMA in the feed, with polydispersities below 1.25 even at MMA feed as high as 75%. Furthermore, copolymerization with acrylates and methacrylates did not result in termination via disproportionation or hydroxylamine elimination, as was determined by lack of alkene resonances (5.50-6.50 ppm) in the proton NMR spectral data. The present invention provides the preparation of well-defined reactive statistical/random

copolymers with a wide variety of properties is readily feasible using α -hydrido nitroxide-mediated methodology.

[0104] Table 4. Random bulk copolymerization of VDMO

Comonomer	VDMO/ comonomer	M_n (kDa)	PDI
	10/90	30.0	1.04
	20/80	28.7	1.07
	30/70	27.3	1.04
	40/60	31.2	1.09
	50/50	31.4	1.05
	60/40	32.5	1.07
	70/30	32.4	1.08
	80/20	33.7	1.07
	90/10	33.9	1.09
	25/75	38.1	1.04
	75/25	36.1	1.05
	25/75	10.7	1.21
	50/50	17.1	1.17
	75/25	34.6	1.22
	25/75	12.0	1.11
	50/50	15.1	1.12
	75/25	26.4	1.11
	25/75	23.1	1.09
	50/50	37.1	1.27
	75/25	31.1	1.28
	50/50	33.8	1.25
	10/90	22.2	1.39
	15/85	18.5	1.26
	25/75	18.1	1.24
	50/50	24.3	1.13
	75/25	25.2	1.15
	25/75	20.6	1.22
	50/50	33.2	1.18
	75/25	27.7	1.22

	50/50	22.0	1.20
	75/25	34.4	1.25
	25/75	13.0	1.05
	50/50	18.8	1.08
	75/25	25.8	1.09

Example 7: Copolymerization of VPDMO with second monomers

[0105] VPDMO can also be copolymerized with any of the second monomers described herein. For example, for a 1:4 ratio of VDMO:comonomer, a mixture of VPDMO (400 mg, 1.86 mmol), the desired co-monomer (7.44 mmol), alkoxyamine 3 (12.1 mg, 0.0372 mmol), and acetic anhydride (7 microliter, 0.074 mmol) was degassed by three cycles of freeze/pump/thaw and sealed under nitrogen. The stirring solution was heated at 123°C for 16h. The solid reaction mixture was then dissolved in chloroform and precipitated into either hexanes or ether (2L). The precipitate was filtered, washed with additional hexanes, and dried under vacuum.

Example 8: Preparation of the block copolymer poly(VDMO)-*b*-poly(styrene)

[0106] In addition to having a narrow molecular weight distribution, poly(VDMO) chains prepared using nitroxide mediated LFRP methodology also bear a latent nitroxide-capped initiation center at the chain end. This reactive chain end can thus be employed in the preparation of block copolymers by the introduction of a second monomer. The synthesis of block copolymers via living free radical methodologies offers a unique advantage over anionic procedures especially in terms of its more extensive functional group compatibility. Reactive oxazolone-containing monomers such as VDMO have not been polymerized successfully using anionic procedures; hence, living free radical polymerization provides access to novel, well-defined block copolymers containing poly(VDMO) or other poly(oxazolone) segments.

[0107] Poly(VDMO) “macroinitiators” of several molecular weights were prepared by polymerization of VDMO in the presence of varying ratios of alkoxyamine initiator 2 and 5% nitroxide 1. For example, to prepare a poly(oxazolone)-containing block polymer, the poly(VDMO) block subunit was first prepared (compound 5 in Figure 5A). A solution of VDMO (2.00 g, 14.4 mmol), alkoxyamine 2 (16.1 mg, 0.049 mmol) and nitroxide 1 (2.45

μmol) was degassed by three freeze/pump/thaw cycles and sealed under nitrogen. The stirring solution was heated at 123°C for 4h. The clear, solid plug was then dissolved in dichloromethane and precipitated into hexanes (2 L). The fine, white precipitate was filtered, washed with additional hexanes, and dried under vacuum to give the desired poly(VDMO) **5** as a very fine white powder (1.71 g, 85%) $M_n = 25.0$ kDa, PD = 1.04.

[0108] The poly(VDMO) starting block **5** (0.80 g, 32 μmol) was dissolved in styrene (2.40 g, 2.3 mmol) and acetic anhydride (15 μL , 0.15 mmol), degassed by three freeze/pump/thaw cycles and sealed under nitrogen and heated to 123 °C for 8 h. The solid plug was then dissolved in chloroform and precipitated into hexanes, filtered, washed with hexanes, and dried under vacuum to afford poly(VDMO)-*b*-poly(styrene) as a white powder (2.67 g, 83%) $M_n = 90.8$ kDa, PD = 1.18, composition VDMO/styrene = 30/70.

[0109] In a first example (Figure 5A), poly(VDMO) macroinitiator **5** ($M_n = 10.3$ kDa, PD = 1.03) was dissolved in styrene (300 equivalents), degassed, heated to 123 °C for 8 h and then purified by precipitation into hexanes. The resulting block copolymer poly(VDMO)-*b*-poly(styrene) **6** was obtained with high conversion for the styrene monomer and possessed the expected increase in molecular weight ($M_n = 34.3$ kDa, PD = 1.16). Comparison of SEC traces for macroinitiator **5** and diblock copolymer **6** shows no evidence of contamination of the diblock copolymer with unreacted VDMO macroinitiator (Figure 4). This sequential polymerization strategy works well using VDMO macroinitiators with a range of molecular weights to allow preparation of well-defined block copolymers with molecular weights approaching 100 kDa (see Table 5).

[0110] We have also made a number of attempts to prepare styrene/VDMO block copolymers by employing the reverse strategy, namely by growing a VDMO block from a poly(styrene) macroinitiator **7** (Figure 5B). This strategy works well only when a relatively low molecular weight ($M_n < 10$ kDa) poly(styrene) macroinitiator is used. Most attempts at preparing such block copolymers failed when using poly(styrene) macroinitiators with $M_n > 10$ kDa, as evidenced by broad polydispersities and a persistent low molecular weight shoulder in the GPC traces. This is not surprising in light of previously reported results by Hawker and coworkers,¹⁸ in which they demonstrated that the polymerization of acrylates from low molecular weight poly(styrene) macromonomers ($M_n = 4.5$ kDa) resulted in well-defined block copolymers, but when higher molecular weight poly(styrene)

macromonomers were used, the resulting block copolymers also possessed a low molecular weight shoulder (Benoit et al. (1999) *J. Am. Chem. Soc.* 121:3904-3920).

Example 9: VDMO/acrylate block copolymers

[0111] Next, we investigated the preparation of VDMO/acrylate block copolymers. A mixture of alkoxyamine **2** (50.8 mg, 0.156 mmol), nitroxide **1** (7.8 μ mol), and *n*-butyl acrylate (*n*-BA, 2.00 g, 15.6 mmol) was degassed by three freeze/pump/thaw cycles, sealed under nitrogen and heated to 123 °C for 16 h. Upon cooling to room temperature, the crude polymer **11** (M_n = 13.6 kDa, PD = 1.06) was dissolved in VDMO (2.00g, 14.4 mmol), degassed by three freeze/pump/thaw cycles, sealed under nitrogen and heated to 123 °C for 4 h. The solid plug was then dissolved in dichloromethane and precipitated into hexanes, filtered, washed with hexanes, and dried under vacuum to afford poly(*n*-butyl acrylate)-*b*-poly(VDMO) **12** as a tacky white powder (3.16 g, 79%) M_n = 34.9 kDa, PD = 1.11.

[0112] In this case, successful polymerization was also dependent on nature of the initiating block. Specifically, in the case of poly(*n*-butyl acrylate)-*b*-poly(VDMO) **12**, the use of a poly(*n*-butyl acrylate) starting block **11** (Figure 5D) to initiate the polymerization of a second poly(VDMO) block results in well-defined block copolymers with no detectable quantities of unreacted poly(*n*-butyl acrylate) macroinitiator (Figure 7). In fact, block copolymer formation proceeds smoothly and efficiently regardless of whether the second VDMO block is polymerized in a second step from an isolated poly(*n*-butyl acrylate) macroinitiator, or if the entire synthetic scheme is performed in a single pot (Table 6).

[0113] First, an alkoxyamine-functionalized poly(*n*-butyl acrylate) macroinitiator **11** is prepared by heating 100 equivalents of degassed *n*-butyl acrylate in the presence of alkoxyamine **2** and nitroxide **1** (5% relative to **2**) at 123 °C for 16 h. The resulting poly(*n*-butyl acrylate) macroinitiator (M_n = 14.9 kDa, PD = 1.06) can be either isolated by precipitation into methanol prior to dissolution in VDMO or simply dissolved in VDMO, then the degassed polymerization solution is heated to 123 °C for 4h, and precipitated into hexanes to give diblock copolymer poly(*n*-butyl acrylate)-*b*-poly(VDMO) (**12**). Block copolymer **12** is well-defined and possesses the expected increase in molecular weight (M_n = 41.6 kDa, PD = 1.09). Comparison of the molecular weight distributions of the poly(*n*-butyl acrylate) macroinitiator **11** and that of the resulting poly(*n*-butyl acrylate)-*b*-

poly(VDMO) copolymer **12**, clearly demonstrates that the block copolymer product **12** is free from any unreacted acrylate macroinitiator (Figure 7).

[0114] In contrast, block copolymer formation by acrylate polymerization from an alkoxyamine functionalized VDMO starting block **5** (Figure 5C) was unsuccessful despite attempts at changing several reaction parameters, including molecular weight of the VDMO macroinitiator, nature of acrylate monomer, monomer/macroinitiator ratio, and type and amount of solvent. In each attempt, incomplete initiation and/or early termination was observed and resulted in a multimodal product mixture containing both unreacted poly(VDMO) starting material and a higher molecular weight fraction, which could likely be either block copolymer or homopoly(*n*-butyl acrylate).

[0115] Several noteworthy observations can be drawn regarding the polymerization behavior of VDMO during the preparation of block copolymers. For example, when considering the preparation of styrene-VDMO block copolymers, the behavior of VDMO can be compared to that of *n*-butyl acrylate (or other acrylate monomers in general). Specifically, the polymerization of styrene from both poly(VDMO) and poly(*n*-butyl acrylate) macroinitiators is well controlled. However the reverse process typically fails, as polymerization of either VDMO or butyl acrylate from a poly(styrene) macroinitiator is successful only when a low molecular weight poly(styrene) macroinitiator is used. When considering the preparation of VDMO-acrylate block copolymers by nitroxide-mediated LFRP, VDMO behaves in a manner similar to isoprene. For example, the polymerization of VDMO from a poly(*n*-butyl acrylate) macroinitiator proceeds smoothly, leading to the formation of well-controlled *n*-BA-VDMO block copolymers. However, attempts to grow a poly(*n*-butyl acrylate) block from a poly(VDMO) macroinitiator did not lead to clean block copolymer formation. These results are analogous to those obtained by Hawker and coworkers whereby isoprene block polymerization from a poly(*t*-butyl acrylate) macroinitiator was shown to proceed efficiently, but the reverse process, namely polymerization of *t*-butyl acrylate from a poly(isoprene) macroinitiator was unsuccessful (Benoit 2000, *supra*). This suggests that VDMO behaves like an acrylate in polymerizability, but that terminal poly(VDMO) alkoxyamines are inefficient initiators for the synthesis of acrylate block copolymers.

[0116] Table 5. Molecular Weight and Polydispersity for Poly(VDMO)-*b*-poly(styrene) Block Copolymers Prepared Using 1 and 2 under Bulk Conditions at 123 °C.

Poly(VDMO) Starting Block		Poly(VDMO)- <i>b</i> -PSt block copolymer ^b		
M _n (kDa)	PDI	Composition ^a (VDMO/Styrene)	M _n (kDa)	PDI
7.1	1.04	20/80	42.6	1.15
10.3	1.03	25/75	34.3	1.16
10.3	1.03	35/65	44.7	1.17
25.0	1.04	50/50	37.3	1.26
25.0	1.04	30/70	90.8	1.18

^a Determined by ¹H-NMR spectroscopy and C, H, & N elemental analysis.

^b Polystyrene equivalent molecular weights.

[0117] Table 6. Molecular Weight and Polydispersity for Poly(*n*-butyl acrylate)-*b*-poly(VDMO) Block Copolymers Prepared Using 1 and 2 under Bulk Conditions at 123 °C.

Poly(<i>n</i> -BA) Starting Block		Poly(<i>n</i> -BA)- <i>b</i> -poly(VDMO)-block copolymer ^b		
M _n (kDa)	PDI	Composition ^a (VDMO/Sty)	M _n (kDa)	PDI
11.9	1.09	50/50	26.6	1.11
13.6	1.06	45/55	34.9	1.11
14.8	1.06	55/45	41.6	1.09
15.1	1.06	50/50	29.7	1.12
17.9	1.11	60/40	39.7	1.19

^a Determined by ¹H-NMR spectroscopy and C, H, & N elemental analysis.

^b Polystyrene equivalent molecular weights.

Example 10: Preparation of polymer:amine conjugates

[0118] To assess whether the oxazolone-containing polymers of the present invention were amenable to further modification, we examined the reaction of several representative poly(oxazolones) with amines. Poly(VDMO) **5** (500 mg, 3.68 mmol equiv,

17.0 kDa, PDI = 1.03) was dissolved in dichloromethane (5.0 mL). Benzylamine (0.50 mL, 4.58 mmol) was added and the reaction mixture was stirred at room temperature for 4 hours, precipitated into methanol (400 mL), filtered, and dried under vacuum to afford **13** as a fine white powder (728 mg, 81%, 17.4 kDa, PDI = 1.04); FTIR cm^{-1} 1648 (CONH).

[0119] In a similar manner, poly(VDMO)-*b*-poly(styrene) **6** (500 mg, 44.7 kDa, PDI = 1.17) was dissolved in dichloromethane (5.0 mL). Morpholine (0.50 mL) was added, and the reaction mixture was stirred at room temperature for 4 hours, precipitated into methanol (400 mL), filtered, and dried under vacuum to afford **14** as a fine white powder (514 mg, 45.4 kDa, PDI = 1.19); FTIR cm^{-1} 1621 (amide C=O).

[0120] Reaction of poly(VDMO) **5** with benzylamine (Figure 5E) quantitatively affords benzyl acrylamide adduct **13** in excellent yield. Conversion was monitored by FT-IR, which showed the disappearance of the characteristic oxazolone band at 1820 cm^{-1} (C=O) and the appearance of the corresponding acrylamide band at 1648 cm^{-1} (CONH). Likewise, reaction of poly(VDMO)-*block*-poly(styrene) **6** with morpholine (Figure 5F) results in clean conversion to copolymer product **14**, with the associated emergence of the amide band at 1621 cm^{-1} . Molecular weights and polydispersities of the poly(amide) products did not vary significantly from those of the starting materials. The facile chemical modification of poly(oxazolones) with amines and other weak nucleophiles demonstrates the potential for LFPR methods toward well-defined polymers containing rich chemical functionality.

Example 11: Preparation of polymer:drug conjugates

[0121] Nitroxide-mediated living free radical polymerization provides a straightforward and highly efficient method for the controlled synthesis of poly(vinyl oxazolones) with narrow polydispersities. The synthesis of well-defined poly(oxazolones) afford access toward functional materials through facile polymer modification by reaction with nucleophiles. Alkoxyamine **2** has demonstrated a tremendous versatility in mediating the copolymerization of VDMO with a wide range of monomers. Furthermore, the synthesis of well-defined oxazolone-functionalized reactive block copolymers, inaccessible using anionic methods, was easily achieved using nitroxide-mediated LFPR methods. We are currently investigating applications of well-defined reactive oxazolone-functional materials with both compositional and architectural variation.

[0122] Figures 8A through 8C depict exemplary polymer:drug conjugates of the present invention. The peptide-drug conjugate portion is optionally prepared according to published procedures (see, for example, PCT publication WO 98/19705 "Preparation of branched peptide linkers" to King et al.)

[0123] For example, the doxorubicin compositions (compounds 10A through 10C) depicted in Figure 8B can be coupled to an oxazolone-containing polymer of the present invention. Conjugation of the composition to the polymer is accomplished, for example, via the N-terminus of the peptide, by reaction in DMF, NMP or another suitable solvent.

[0124] While the foregoing invention has been described in some detail for purposes of clarity and understanding, it will be clear to one skilled in the art from a reading of this disclosure that various changes in form and detail can be made without departing from the true scope of the invention. For example, all the techniques and apparatus described above can be used in various combinations. All publications, patents, patent applications, and/or other documents cited in this application are incorporated by reference in their entirety for all purposes to the same extent as if each individual publication, patent, patent application, and/or other document were individually indicated to be incorporated by reference for all purposes.